



CONFINED SPACE RESCUE KIT

The LINQ Confined Space Rescue Kit has been designed specifically for rescue from confined spaces. It can easily be set up by one person and easy to transport.

The 25m wire rope winch is ideally suited to rescue applications and confined space work. Must be manually wound to raise or lower - can raise or lower 25m down.

Supplied with bracket for tripod. Complies to Australian standards AS/NZS 1891 and AS 2865 -2009.



H201

TACTICIAN RIGGERS HARNESS

Large Dorsal Dee Ring
Front Belay Loops
Slotted Buckles
Integrated Suspension Trauma Strap
Shoulder Confined Space/Rescue Loops
Tangle-free back mesh
Buckle padding for extended wear
Retro Reflective detailing in webbing



HSTP29

TRIPOD AND BAG

For confined space access adjustable height 1.9m-2.9m lifting load capacity 500kg certified to EN795:2012
Footprint - 1.8m diameter
Weight 15kg
Anchorage rated to 12kn AS/NZS 5532:2013
Steel support shoes with rubber sole for increased stability comes with tripod bag



HSTW25

WINCH

For use with LINQ Tripod (HSTP29)
Tested Load: 1350kg
Rated Load: 135kg
Maximum lifting: 25m AS/NZS 5532:2013
Conforms to EN1496:2006



KSGSA18

X 2 - SCREW GATE KARABINERS

Opening - 18mm
Weight - 165gm
Rating - 25kn
Width - 58mm
Length - 110mm



HSCSSB

CONFINED SPACE SPREADER BAR

The LINQ Confined Space Spreader Bar is designed for use with harnesses incorporating confined space loops or D-rings and is ideal for confined space entry/exit and rescue and retrieval applications. Comes with Snap Hook attachments to secure the worker.



HSKB710

KIT BAG

Heavy duty waterproof duffle kit bag
Secures and protects parts until next use.
Dimensions: 720mm x 320mm x 135mm